rea Azalea® Family





One big family

Invacare Rea Passive chairs offer people the perfect fit and comfort, with a wide selection of models, options and compatibility across the range.

Allowing for customers who have specific needs, *Rea* has developed a range of models, each chair highly adjustable to provide a better fit for a wide range of individuals.

All chairs can be quickly adjusted, and come with the *Invacare* **Dual Stability System**[•] (DSS) and are proven to be safe and durable.



Trusted Solutions, Passionate People







In order to provide the client with the best fit, the Azalea offers individual size adjustments to improve posture. In addition to the popular width and depth adjustment of the seat area, we also offer the same adjustment on the backrest. This provides a unique combination for postural support and comfort as the adjustments are independent of one another.

Define the posture support you are looking for and it can be fulfilled on the Rea Azalea Family.

Tension adj

Kyphotic

Midsection of

the backrest

is opened up

with a tighter

support in the

lower regions

back

Suggestion of backrest options, backrest plate or tension adjustable (Plate) Plate (Plate) (Plate)

Plate (Tension adj)

adj)

Tall

Backrest options





Plate Tension adj (Tension adj)



Wide above Upper part is wide seat is

Wide

front Upper part of backrest turned to allocate space around shoulders



behind Lower part of backrest turned to allocate space for the protruding

(Plate)

Tension adj

S-shaped back Low midsection is tight whereas

the other parts follows the S-shaped spine

All fittings as close as possible

Short

Extended backrest height and seat depth

Fittings of backrest and seat in standard positions

Average



of backrest apart, lower narrow

Larger in below Lower part of backrest is wider as the seat

Tension adj Tension adj Tension adj Tension adj

Larger bottom

The Flex3 tension adjustable option can be adjusted in both width and height. In addition the backrest posts can be angled and the whole backrest can be turned upside down to create space where it's needed most.



The Flex3 backrest plate option is height and width adjustable.



Features and options

Offers excellent seating comfort and many adjustment possibilities!

The Rea **Azalea** is the natural choice for the moderately active client as well as for the more passive. The comfortable seating system allows you to alter the seat position, ensuring maximum comfort at all times. This combined with good driving characteristics makes Azalea the ideal choice.

Tilt & recline makes life comfortable

The Rea Azalea has a 25° seat tilt and a 30° backrest recline. Both tilt and recline can be easily adjusted manually or electrically by the assistant and also by the client on the electrical version.



Rea Azalea Self Propel The original self propelling wheelchair with large rear wheels



rea Azalea®

Rea Azalea Transit The transit shares the frame with the Rea Azalea Self Propel but is mounted with small rear wheels.

Technical data




390-450/440-500/ 430 - 500 mm Rea Azalea SP 490-550 mm (390-490/440-540/ Rea Azalea TR 490-590 mm)



0°-30° Rea Azalea SP ReaAzalea TR



SW + 220 mm





900-1250 mm



950-1020 mm

Backrest plate:

560-790 mm

.....



240 - 360 mm

(SW 440 mm)



330 - 500 mm

Max 135 kg



-1° to 23°

(+1° to 25°)

Transport weight: 16,5 kg

The Rea Azalea and Azalea Assist complies with ISO 7176-19 specifications. Note that special conditions apply regarding accessories. For detailed information regarding vehicular transportation and for more pre-sale information for this wheelchair, please consult the following pages on our website: www.invacare-rea.com under Rea wheelchairs/ Technical downloads.



Frame colour



Upholstery



Black Dartex Black Spacer **TR26** TR36



rea Azalea® Base and Azalea® & Alber viaplus V12



Features and options

Rea Azalea Base

Designed for people seeking a custom made seat combined with a first-class wheelchair base, the Rea Azalea Base is adapted from our standard Rea Azalea model and boasts all the advantages of this sturdy, tilting chair, such as the special weight-shifting mechanism. A key feature of the **Base** is the 'Tilt in Space' function a weight-shifting mechanism that ensures stability for the client when tilted.

Rea Azalea and Alber viaplus V12 ··--

Unlike many other pushing aids, the viaplus V12 does not impede the adjustability of a tilt in space wheelchair (with a seat height of 450 mm). All of the wheelchair's functions remain accessible. That's why the viaplus V12 can simply be left on the wheelchair without restricting the use of its functions.





Ideal for those in need of a stable, secure chair, with custom-made comfort. The Base can be used together with all parts and accessories of other Rea Azalea models (except trunk support).

.....



Rea Azalea & Alber viaplus V12

Technical data

















340*/390/440/380 - 450 mm* 400/450 mm 490 mm 430 - 500 mm (+ 50/100 mm)

600* / 700 mm

240 - 360 mm 330 - 500 mm

-1° to +23°

(+1° to 25°)

Alber 600* / 240 - 360 mm 330 --1° to 23° (22/24") / 500 mm viaplus V12 700 mm +1° to 25° (16") 1300*/ 930 - 1040* / 20 kg Rea Azalea Base 0°-30° SW + 220 mm Max 135 kg Transport weight: 1400 mm 950 - 1070 mm (SW + 230 mm) 15 kg Max 75* Alber 0°-30° SW + 220 mm 1300* / 900 - 1020* / 28 kg* 15* / 18,7 kg (SW + 230 mm) viaplus V12 (SW 340)/ 1400 mm 950 - 1070 mm 34 kg (SW 440 mm)



* Rea Azalea Minor has smaller dimensions.

The Rea Azalea Base complies with ISO 7176-19 specifications. Note that special conditions apply regarding accessories. For detailed information regarding vehicular transportation and for more pre-sale information for this wheelchair, please consult the following pages on our website: www.invacare-rea.com under Rea wheelchairs/Technical downloads.

ISO 7176-19

Frame colour



Grev



Upholstery



Black Dartex **TR26**

Black Spacer TR36



Features and options

rea Azalea® Tall and Azalea® Minor

Rea **Azalea Minor** – **Designed for petite adults and teenagers**

The *Rea* **Azalea Minor** is designed for people who require a seat that has a smaller depth and width. Adapted from the *Rea* **Azalea**, the **Azalea Minor** boasts all the advantages of a reliable, tiltable wheelchair with its special weight-shifting mechanism. It is also available with a tension adjustable backrest.

Rea Azalea Tall - No limits on comfort for taller person

Rea Azalea Tall is specially designed to meet the needs of tall clients who require a Tilt in Space wheelchair with a longer seat support. Adapted from the Rea Azalea, the Rea Azalea Tall boasts all the advantages of a reliable, tilting wheelchair and offers a unique weight shifting mechanism.



Rea **Azalea Minor** The push handles of the **Azalea Minor** are angled outwards, increasing comfort for carers.



Rea **Azalea Tall** The *Rea* **Azalea Tall**: at the top of its class for comfort and stability.



that special conditions apply regarding accessories. For detailed information regarding vehicular transportation and for more pre-sale information for this wheelchair, please consult the following pages on our website: www.invacare-rea.com under Rea wheelchairs/Technical downloads.





Upholstery

Black Dartex

TR26





Grey

Crash-tested

ISO 7176-19

Azurite Blue

e





Features and options

A tailor-made solution for heavier clients

The *Rea* **Azalea Max** is designed to meet the specific needs of the heavier person. The Azalea Max is a niche product and a complementary addition to the existing Azalea family from Invacare.

Continued Compatibility

The Rea Azalea Max offers the same features as the rest of the Rea Azalea family such as tilt-inspace with weight-shifting and DSS* (Dual Stability System) mechanism. Stability in this wheelchair originates from body length compensation in the back and leg rests, beneficial for people with limited movement and have difficulty changing position.



Designed to meet the specific needs of people with extra weight.



Two-way backrest The lower and upper parts of the shaped backrest are interchangeable, giving the option of more space in the seat or chest area.



Power tilt

The hand control for tilt and recline can be used by the attendant or the person using the chair.

Technical data

Azalea Max

Azalea Max

CE

Azalea Max Assist 0°-30

Azalea Max Assist 37 kg

Frame colour





.....



400 / 450 mm





1° - 20°

Azalea Max 550; 610 + 50 mm 530 - 600 mm Azalea Max 550; 610 + 100 mm 530 - 600 mm Assist



0°-30°

33 ka

Grev





SW + 250 mm

SW + 220 mm

max. 180 kg

max. 180 kg

Azurite Blue

Rea, Rea design and DSS (Dual Stability System) design are registered trademarks of Invacare International. The Rea Azalea is designed with DSS (Dual Stability system). It provides the user with enhanced stability and safety





1020 - 1240 mm

400 / 450 mm



For other Rea Azalea accessories, please

The Rea Azalea Max complies with ISO

7176-19 specifications. Note that special

conditions apply regarding accessories. For detailed information regarding

vehicular transportation and for more

pre-sale information for this wheelchair,

please consult the following pages on our

website: www.invacare-rea.com under Rea

consult the Rea Azalea brochure.

wheelchairs/Technical downloads

Upholstery

Black Dartex

TR26

Pencoed Technology Park - Pencoed -Bridgend CF35 5AQ - United Kingdom Tel: +44 1 656 776 222 Fax: +44 1656 776 220 E-mail: uk@invacare.com Sales Order E-mail: ordersuk@invacare.com www.invacare.co.uk

Invacare Ireland I td Unit 5 - Seatown Business Campus Seatown Road - SWORDS - County Dublin - Ireland Tel. +353 1 8107084 Fax +353 1 8107085 Email: Ireland@invacare.com www.invacare.ie

© 2016 Invacare International Sàrl All rights reserved.

All information quoted is believed to be correct at time of print. Invacare reserves the right to alter product specifications without prior consultation.

Rea Azalea Family - UK - 09/2016 -1554736





when being tilted or the backrest is reclined



Follow us on YouTube: You Tube Invacare Ltd - UK



Like us on Facebook: Invacare UK

Plush

320 - 420 mm 330 - 500 mm 320 - 420 mm 330 - 500 mm Invacare Limited